


de ploeg: bonheur



Faber

MATERIAL/MATERIALE

100% PES

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

14

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Transparent

RULLBREDD/RULLEBREDDE/ROLL WIDTH

290 cm

MÖNSTERREPETITION/RAPPORT/
MØSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTED/LIGHTFASTNESS

5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

682 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Nej/Nei/No



de ploeg: brooklyn



Faber

MATERIAL/MATERIALE

50% Pes/50% Co

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

24

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Transparent

RULLBREDD/RULLEBREDDE/ROLL WIDTH

300 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<3%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHTFASTNESS

≥ 5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

360 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Ja/Yes

de ploeg: cannes RE[♻]LIFE



Faber

MATERIAL/MATERIALE

80% RCY PES FR*/20% PES FR

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

13

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Transparent

RULLBREDD/RULLEBREDDE/ROLL WIDTH

315 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<2%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHTFASTNESS

≥ 5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

891 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

**Ja/Yes
NF P 92-507 M1**

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Nej/Nei/No



*made with pre-consumer recycled fibers

de ploeg: catalpa RE^oLIFE



Faber

MATERIAL/MATERIALE

100% RCY PES*

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

13

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Semi-transparent

RULLBREDD/RULLEBREDDE/ROLL WIDTH

295 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHTFASTNESS

≥ 5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

726 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Ja/Yes

*made with post-consumer recycled fibers

de ploeg: clipper



Faber

MATERIAL/MATERIALE

100% PES

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

37

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Tät/Tett/Tæt/Opaque

RULLBREDD/RULLEBREDDE/ROLL WIDTH

300 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHT FASTNESS

4-5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

645 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Ja/Yes



de plæg: clover **RE³LIFE**



Faber

MATERIAL/MATERIALE

100% RCY PES

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

33

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Tät/Tett/Tæt/Opaque

RULLBREDD/RULLEBREDDE/ROLL WIDTH

300 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHT FASTNESS

≥ 4-5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

708 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Ja/Yes



de ploeg: davor



Faber

MATERIAL/MATERIALE

100% PES

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

21

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Dimout

RULLBREDD/RULLEBREDDE/ROLL WIDTH

300 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTED/LIGHT FASTNESS

5-6 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

900 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Ja/Yes



de ploeg: eternal RE³LIFE



Faber

MATERIAL/MATERIALE

85% RCY PES/15% PES

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

14

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Dimout

RULLBREDD/RULLEBREDDE/ROLL WIDTH

305 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHT FASTNESS

≥ 5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

1275 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Ja/Yes



de ploeg: eton



Faber

MATERIAL/MATERIALE

90% PC/10% PL

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

17

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Transparent

RULLBREDD/RULLEBREDDE/ROLL WIDTH

295 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<2%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTED/LIGHTFASTNESS

4 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

637 gr/m¹


FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Nej/Nei/No

de ploeg: goodnight



Faber

MATERIAL/MATERIALE

100% PE FR

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

40

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Blackout

RULLBREDD/RULLEBREDDE/ROLL WIDTH

290 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<2% | <2%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHTFASTNESS

5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

840 gr/m²

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Ja/Yes

**BS 5867 PART 2 TYPE C, ISO 6940/6941,
DIN 4102-B1, NF 92-507 M1**

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Nej/Nei/No



de ploeg: polo



Faber

MATERIAL/MATERIALE

100% PES

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

25

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Tät/Tett/Tæt/Opaque

RULLBREDD/RULLEBREDDE/ROLL WIDTH

300 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHTFASTNESS

5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

1248 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Ja/Yes



de ploeg: savor



Faber

MATERIAL/MATERIALE

100% PA

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

28

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Semi-transparent

RULLBREDD/RULLEBREDDE/ROLL WIDTH

310 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHTFASTNESS

4-5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

651 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Ja/Yes



de ploeg: soil



Faber

MATERIAL/MATERIALE

61% LI / 39% CO

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

25

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Tät/Tett/Tæt/Opaque

RULLBREDD/RULLEBREDDE/ROLL WIDTH

290 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHTFASTNESS

4-5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

1175 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Nej/Nei/No

de ploeg: solid



Faber

MATERIAL/MATERIALE

100% PES FR

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

27

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Dimout

RULLBREDD/RULLEBREDDE/ROLL WIDTH

300 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

-

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHTFASTNESS

-

VIKT/VEKT/VÆGT/WEIGHT

885 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Ja/Yes


FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Nej/Nei/No

LJUDABSORBERING/LYDABSORBERING/SOUND ABSORPTION

$\alpha = 0,85$ (flatt surface), CLASS B

de ploeg: solo



Faber

MATERIAL/MATERIALE

100% Trevira CS

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

8

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Transparent

RULLBREDD/RULLEBREDDE/ROLL WIDTH

300 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

 **<1% |**  **<1%**

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHTFASTNESS

5-6 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

235 gr/m²

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Ja/Yes

**BS 5867 PART 2 TYPE C, ISO 6940 6941,
DIN 4102-B1**

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Ja/Yes



de ploeg: tana **RE³LIFE**



Faber

MATERIAL/MATERIALE

100% PES Trevira® CS ECO

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

24

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Transparent

RULLBREDD/RULLEBREDDE/ROLL WIDTH

320 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<2%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTED/LIGHTFASTNESS

≥ 4-5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

378 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Ja/Yes

BS 5867 part 2 type C, DIN 4102-B1

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Nej/Nei/No



de ploeg: vijg



Faber

MATERIAL/MATERIALE	100% PES
ANTAL FÄRGER/ANTALL FARGER/ ANTAL FARVER/COLOURWAYS	14
TÄTHET/TETTHET/TÆTHED/TRANSPARENCY	Transparent
RULLBREDD/RULLEBREDDE/ROLL WIDTH	325 cm
MÖNSTERREPETITION/RAPPORT/ MØNSTERRAPPORT/REPEAT	-
TVÄTTRÅD/VASKEANBEFALING/ VASKEANVISNING/CLEANING	
KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE	<1%
LJUSÄKTHET/LYSEKTHET/ LYSÆGTHED/LIGHTFASTNESS	5 (scale 1-8)
VIKT/VEKT/VÆGT/WEIGHT	244 gr/m¹
FLAMSÄKER/FLAMMEHEMMENDE/ FLAMMERESISTENT/FLAME RESISTANCE	Nej/Nei/No
FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/ FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS	Ja/Yes

de ploeg: voyage



Faber

MATERIAL/MATERIALE

100% PES

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

13

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Semi-transparent

RULLBREDD/RULLEBREDDE/ROLL WIDTH

300 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

<1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTHED/LIGHTFASTNESS

≥ 4-5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

711 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Nej/Nei/No



de ploeg: yoko



Faber

MATERIAL/MATERIALE

50% Linnen, 50% PES

ANTAL FÄRGER/ANTALL FARGER/
ANTAL FARVER/COLOURWAYS

28

TÄTHET/TETTHET/TÆTHED/TRANSPARENCY

Transparent

RULLBREDD/RULLEBREDDE/ROLL WIDTH

300 cm

MÖNSTERREPETITION/RAPPORT/
MØNSTERRAPPORT/REPEAT

-

TVÄTTRÅD/VASKEANBEFALING/
VASKEANVISNING/CLEANING



KRYMPNING/KRYMPING/KRYMPNING/SHRINKAGE

1%

LJUSÄKTHET/LYSEKTHET/
LYSÆGTED/LIGHTFASTNESS

5 (scale 1-8)

VIKT/VEKT/VÆGT/WEIGHT

360 gr/m¹

FLAMSÄKER/FLAMMEHEMMENDE/
FLAMMERESISTENT/FLAME RESISTANCE

Nej/Nei/No

FINNS SOM HISSGARDIN/EGNET SOM LIFTGARDIN/
FÅS SOM LIFTGARDIN/SUITABLE FOR ROMAN BLINDS

Ja/Yes

